

Colorbond

Standard panel widths are 2370 mm from post to post for a 3 infill sheet panel design. A standard 2370 mm wide panel consists the following components



- ▶ 3 x Infill Sheets 820 mm (Wide)
- ▶ 2 x Rails 2370 mm (Horizontal)
- 2 x Channel Posts / SmartPost® (Verticals)

Material Specifications

Infill Sheets are made from Quality Tested and Certified Prepainted Hi-Tensile ColorSealed® coated steel. Double Sided Colour

0.32mm base metal thickness



Panel Details







Coloursmart in fill sheet profile options



Sawtooth Profile 0.35 mm BMT

Base metal thickness

Our unique Sawtooth / Zigzag profile ensures your fence looks great from both sides



Trimline Profile 0.35 mm BMT

Base metal thickness

We are now rolling the traditional trimline colorbond® steel fencing profile

Universal posts & Rails



Post Profile
0.8 mm BMT

Base metal thickness



Rail Profile 0.8 mm BMT

Base metal thickness

Our unique post and rail system is designed to work seamlessly with all of our sheet profiles, ensuring a hassle free install experience



Discover Colorbond® Steel Fencing

22 Stock Colours



Surfmist® - SM Frost / Off White



Classic Cream / Primrose



Harvest® - HA Wheat



Paperbark® - PA Terrace / Merino



Evening Haze® - EH Summershade / Mossvale Sands



Dune® - DU Seedpod / Grey Birch



Riversand®



Jasper® - JA Plateau



Bushland® - BU Tea Tree



Pale Eucalypt® - PE Meadow / Mist Green



Wilderness® - WN Willow / Rivergum Green



Cottage Green® - CG Evergreen / Caulfield Green



Shale Grey™- SG Snow Gum / Gull Grey



Windspray® - WS Haze / Armour Grey



Wallaby® - WA



Basalt® - BA



Woodland Grey® - WG Grey Ridge / Slate Grey



Deep Ocean® - DE Bluestone / Mountain Blue



Ironstone® - IR Dark Ash



Monument® - MO Shadow



Manor Red® - MR Red Oak / Heritage Red



Night Sky® - BL Eclipse / Black (Posts & Rails Only)



Get creative with colour

> Woodland Grey® Frame Paperbark® in Fill